

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIG. 1





FIG. 3









FIG. 28

TITLE: Table Saw
INVENTOR(S): James Parks et al.
DOCKET NO.: TN-0667A










FIG. 10






FIG. 12A




FIG. 18




FIG. 12B
















FIG. 45



















FIG. 32




FIG. 41




FIG. 33




FIG. 34A




FIG. 35




FIG. 36




FIG. 37




FIG. 34B




FIG. 38




FIG. 39





FIG. 40






FIG. 42

FIG. 43










FIG. 44







DOCKET NO.: TN-0667A

FIG. 48

FIG. 48 is a cross-sectional view of a semiconductor device assembly. A central component 914 is mounted on a substrate 910. A vertical structure 530 is on the left, and a vertical structure 963 is on the right. Various layers and features are labeled with reference numerals: 531, 911P, 913T, 912P, 913, 916, 913S, 912S, 501, 915, 912, 961P, 963D, 962, 911G, 963T, DD, 900, 960, 961.

Fig. 10 is a schematic diagram of a mechanical assembly. It shows a horizontal member 651 with a vertical member 671 attached to its bottom. A horizontal member 670 is positioned between 651 and 671, with a vertical member 670S attached to its right end. Arrows indicate horizontal and vertical movement.




FIG. 54